

C O V E R I N G M A T E R I A L S B O O K B I N D I N G

fiscatech®

LIFE AT THE BEGINNING

agenda winner colours

agenda
WINNER
heat burnishing coagulate

I COLORI STAMPATI SI RIFERISCONO AI FONDI PRIVI DI FINITURA E SONO PURAMENTE INDICATIVI

The printed samples are referring to the used bases and are just an indication of the colour range

I colori riportati in questo catalogo sono da ritenersi puramente indicativi e non rappresentano vincolo contrattuale. Si invita a richiedere sempre un campione all'ufficio commerciale

The shades printed in this catalog are just a colour reference indication; we suggest you to ask an actual sample to our Sales Office

Fiscatech reserves the right to make any variations which it considers opportune to the products and finishings contained in this set of samples. In consideration of the technical characteristics of the product, the colour reference is indicative and may be subject to slight variations. Only the specific sample on the order is binding with regard to the definitive colour. The final shades could be slightly different. Due to the peculiar manufacturing process of these materials it is not possible to guarantee a perfect colour uniformity for different product shots. We consequently recommend to the customers not to mix during production rolls belonging to different lots. We suggest to don't put different tonalities in contact, to avoid colour transfer.*300 LM/COL minimum



I COLORI STAMPATI SI RIFERISCONO AI FONDI PRIVI DI FINITURA E SONO PURAMENTE INDICATIVI
The printed samples are referring to the used bases and are just an indication of the colour range

I colori riportati in questo catalogo sono da ritenersi puramente indicativi e non rappresentano vincolo contrattuale. Si invita a richiedere sempre un campione all'ufficio commerciale

The shades printed in this catalog are just a colour reference indication; we suggest you to ask an actual sample to our Sales Office

Fiscatech reserves the right to make any variations which it considers opportune to the products and finishings contained in this set of samples.
 In consideration of the technical characteristics of the product, the colour reference is indicative and may be subject to slight variations. Only the specific sample on the order is binding with regard to the definitive colour. The final shades could be slightly different. Due to the peculiar manufacturing process of these materials it is not possible to guarantee a perfect colour uniformity for different product shots. We consequently recommend to the customers not to mix during production rolls belonging to different lots. We suggest to don't put different tonalities in contact, to avoid colour transfer. *300 LM/COL minimum



I COLORI STAMPATI SI RIFERISCONO AI FONDI PRIVI DI FINITURA E SONO PURAMENTE INDICATIVI
The printed samples are referring to the used bases and are just an indication of the colour range

I colori riportati in questo catalogo sono da ritenersi puramente indicativi e non rappresentano vincolo contrattuale. Si invita a richiedere sempre un campione all'ufficio commerciale
 The shades printed in this catalog are just a colour reference indication; we suggest you to ask an actual sample to our Sales Office

Fiscatech si riserva di apportare tutte le variazioni che ritiene opportune ai prodotti ed alle finiture inserite in questa campionatura. Viste le caratteristiche tecniche del prodotto, il riferimento colore è indicativo e potrà subire lievi variazioni. Solo il campione specifico sull'ordine farà fede quale colore definitivo. L'articolo per le sue caratteristiche può presentare differenze di tonalità. Data la particolare lavorazione del materiale, non è possibile garantire la perfetta uniformità del colore tra le diverse partite. Si consiglia pertanto alla clientela di non mescolare, durante la produzione, pezzi appartenenti a lotti diversi. Si consiglia di non mettere a contatto tonalità differenti, onde evitare trasferimenti di colore.

*Salvo il disponibile, è richiesto un minimo di produzione di 300 MTL/COL.



I COLORI STAMPATI SI RIFERISCONO AI FONDI PRIVI DI FINITURA E SONO PURAMENTE INDICATIVI
The printed samples are referring to the used bases and are just an indication of the colour range

I colori riportati in questo catalogo sono da ritenersi puramente indicativi e non rappresentano vincolo contrattuale. Si invita a richiedere sempre un campione all'ufficio commerciale
 The shades printed in this catalog are just a colour reference indication; we suggest you to ask an actual sample to our Sales Office

Fiscatech reserves the right to make any variations which it considers opportune to the products and finishings contained in this set of samples.
 In consideration of the technical characteristics of the product, the colour reference is indicative and may be subject to slight variations. Only the specific sample on the order is binding with regard to the definitive colour. The final shades could be slightly different. Due to the peculiar manufacturing process of these materials it is not possible to guarantee a perfect colour uniformity for different product shots. We consequently recommend to the customers not to mix during production rolls belonging to different lots. We suggest to don't put different tonalities in contact, to avoid colour transfer. *300 LM/COL minimum quantity is required unless the colour is already in stock.



**I COLORI STAMPATI SI RIFERISCONO AI FONDI PRIVI DI FINITURA E SONO PURAMENTE INDICATIVI
The printed samples are referring to the used bases and are just an indication of the colour range**

I colori riportati in questo catalogo sono da ritenersi puramente indicativi e non rappresentano vincolo contrattuale. Si invita a richiedere sempre un campione all'ufficio commerciale
The shades printed in this catalog are just a colour reference indication; we suggest you to ask an actual sample to our Sales Office

Fiscatech si riserva di apportare tutte le variazioni che ritiene opportune ai prodotti ed alle finizioni inserite in questa campionatura. Viste le caratteristiche tecniche del prodotto, il riferimento colore è indicativo e potrà subire lievi variazioni. Solo il campione specifico sull'ordine farà fede quale colore definitivo. L'articolato per le sue caratteristiche può presentare differenze di tonalità. Data la particolare lavorazione del materiale, non è possibile garantire la perfetta uniformità del colore tra le diverse partite. Si consiglia pertanto alla clientela di non mescolare, durante la produzione, pezzi appartenenti a lotti diversi. Si consiglia di non mettere a contatto tonalità differenti, onde evitare trasferimenti di colore.

*Salvo il disponibile, è richiesto un minimo di produzione di 300 MTL/COL.